



# Traumatic Brain Injury

(1 Hour CEU)

## Post-Test

1. According to the text, the leading cause of death and disability in children and young adults in the United States is
  - a. car accidents
  - b. traumatic brain injury
  - c. terminal illness
  - d. abuse
  
2. The estimated annual cost of Traumatic Brain Injury (TBI) in direct and indirect medical expenses is
  - a. \$70 billion
  - b. \$72 billion
  - c. \$74 billion
  - d. \$76 billion
  
3. TBI occurs when the brain experiences a \_\_\_\_\_
  - a. physical, external force impacts the brain either from a penetrating object or bump, blow or jolt.
  - b. internal force of impact of the brain from only a bump, blow, or jolt.
  - c. physical, external force impacts the brain only from a penetrating object.
  - d. physical, external force upon the body and not directly related to the head region.
  
4. \_\_\_\_\_ is when the skull is pierced and the object enters the brain tissue.
  - a. Contusion TBI
  - b. Laceration TBI
  - c. Penetrating TBI
  - d. Non-penetrating TBI
  
5. \_\_\_\_\_ refers to widespread damage to the brain's white matter.
  - a. Diffuse proximal injury
  - b. Diffuse axonal injury
  - c. Diffuse primary injury
  - d. Diffuse secondary injury
  
6. When a person "has their bell rung", they may have a
  - a. Hematoma
  - b. Contusion
  - c. Skull fracture



# Traumatic Brain Injury

(1 Hour CEU)  
Post-Test

- d. Concussion
- 
- 7. All of the following are types of hematomas EXCEPT
    - a. Epidural
    - b. Subdural
    - c. Subarachnoid
    - d. Contrecoup
- 
- 8. According to the CDC, the most common cause of TBIs is
    - a. unintentional blunt trauma
    - b. auto accidents
    - c. falls
    - d. abuse
- 
- 9. Diagnosis a child with a TBI can be difficult due to
    - a. a child may be unable to let others know they feel different
    - b. a child may over report symptoms that may be misdiagnosed
    - c. a child may act normal with no symptoms
    - d. a child will only complain of a headache if they have a TBI
- 
- 10. Treating a mild TBI may involve all of the following EXCEPT
    - a. use of over the counter pain medication for headaches
    - b. "brain rest"
    - c. disregard any new symptoms as they may detract from the primary diagnosis
    - d. Wait to resume normal activities until cleared by a physician.